

Wildflower Meadow

- Remove lawn then sow directly into uncovered soil or break up and lightly amend heavy clay.
- Broadcast sow in the fall.
- Note that germination rates will vary.
- Invasive species may still need to be watched for and removed.
- Over time, reseeding or overseeding may be required to fill in spots.

Diversity Meadow - Garry Oak Ecosystem

<https://satinflower.ca/collections/seeds/products/seed-blend-diverse-meadow-garry-oak-ecosystem-grasses-wildflowers>

Yarrow (*Achillea millefolium*)

Lemmon's Needlegrass (*Achnatherum lemmonii*)

Nodding Onion (*Allium cernuum*)

California Brome (*Bromus carinatus*)

Common Camas (*Camassia quamash* ssp. *maxima*)

Field Chickweed (*Cerastium arvense*)

Farewell-to-Spring (*Clarkia amoena*)

Small-flowered Blue-eyed Mary (*Collinsia parviflora*)

California Oatgrass (*Danthonia californica*)

Menzie's Larkspur (*Delphinium menziesii*)

Woolly Sunflower (*Eriophyllum lanatum*)

Roemer's Fescue (*Festuca roemerii*)

Small-flowered Lupine (*Lupinus polycarpus*)

Sea Blush (*Plectritis congesta*)

Western Buttercup (*Ranunculus occidentalis*)

Fool's Onion (*Triteleia hyacinthina*)

Wildflower Meadow

- Remove lawn then sow directly into uncovered soil or break up and lightly amend heavy clay.
- Broadcast sow in the fall.
- Note that germination rates will vary.
- Invasive species may still need to be watched for and removed.
- Over time, reseeding or overseeding may be required to fill in spots.

Clay/seasonally wet Meadow

<https://satinflower.ca/collections/seeds/products/seed-blend-diverse-wet-meadow>

Slimleaf Onion (*Allium amplexans*)

Green-sheathed Sedge (*Carex feta*)

Hare Sedge (*Carex ovalis*)

One-sided Sedge (*Carex unilateralis*)

Tufted Hairgrass (*Deschampsia cespitosa*)

Mountain Sneezeweed (*Helenium autumnale* var. *grandiflorum*)

Western St. John's-wort (*Hypericum scouleri*)

Bolander's Rush (*Juncus bolanderi*)

Dagger-leaf Rush (*Juncus ensifolius*)

Western Rush (*Juncus occidentalis*)

Pacific Woodrush (*Luzula comosa* var. *comosa*)

Skunkweed (*Navarettia squarrosa*)

Graceful Cinquefoil (*Potentilla gracilis* var. *gracilis*)

Canada Goldenrod (*Solidago lepida*)

Wildflower Meadow

- Remove lawn then sow directly into uncovered soil or break up and lightly amend heavy clay.
- Broadcast sow in the fall.
- Note that germination rates will vary.
- Invasive species may still need to be watched for and removed.
- Over time, reseeding or overseeding may be required to fill in spots.

Coastal Blend

<https://satinflower.ca/collections/seeds/products/seed-blend-sunny-slope>

Yarrow (*Achillea millefolium*)

Nodding Onion (*Allium cernuum*)

Sea Thrift (*Armeria maritima*)

Coastal Mugwort (*Artemisia suksdorfii*)

California Brome (*Bromus carinatus*)

Common Camas (*Camassia quamash* ssp. *maxima*)

Field Chickweed (*Cerastium arvense*)

Farewell-to-Spring (*Clarkia amoena*)

Tufted Hairgrass (*Deschampsia cespitosa*)

Woolly Sunflower (*Eriophyllum lanatum*)

Roemer's Fescue (*Festuca roemerii*)

Entire-leaved Gumweed (*Grindelia stricta*)

Cow Parsnip (*Heracleum maximum*)

Barestem Desert-parsley (*Lomatium nudicaule*)

Sea Blush (*Plectritis congesta*)

Self-heal (*Prunella vulgaris* ssp. *lanceolata*)

Canada Goldenrod (*Solidago lepida*)

Wildflower Meadow

West Coast Seeds: Alternative Lawn Wildflower Mix



	Name	Common names	Origin	Exposure	Height (cm)	Width (cm)	Soil	Flowering	Comments
1	<i>Nemophila menziesii</i>	Baby Blue-Eyes	Western North America	Full sun, Partial sun	15	30	Silt, clay, loam, sand	Late winter to summer	
2	<i>Eschscholzia californica</i>	California Poppy	SW USA and Mexico	Full sun	30	20	Loam, Sand	Spring to fall	
3	<i>Chrysanthemum paludosum</i>	Creeping Daisy	Northern Africa	Full sun	25	25	Silt, clay, loam, sand	Summer	
4	<i>Eschscholzia caespitosa</i>	Dwarf California Poppy	Western North America	Full sun	30	30	Silt, loam, sand	Spring to early summer	
5	<i>Nemophila maculata</i>	Five-Spot	Western North America	Full sun, Partial sun	30	30	Loam	Spring, summer	
6	<i>Festuca trachyphylla</i>	Hard Fescue	Northern, Eastern Europe	Full sun, Partial sun	30 (100)	30	Sand	Late spring	bunchgrass
7	<i>Viola cornuta</i>	Johnny Jump-Up	Southern Europe	Full sun, Partial sun	25	30	Clay, loam, sand	Spring to fall	
8	<i>Festuca ovina</i>	Sheep Fescue	Europe	Full sun, Partial sun	30 (100)	30	Loam, Sand	Late spring	bunchgrass
9	<i>Lobularia maritima</i>	Sweet Alyssum	Mediterranean	Full sun, Partial sun	30	30	Silt, loam, sand	Spring, summer	
10	<i>Trifolium repens</i>	White Dutch Clover	Europe, Central Asia	Full sun, Partial sun	15	60	Silt, clay, loam, sand	Spring to fall	Invasive?
11	<i>Thymus pulegioides</i>	Wild Thyme	Europe	Full sun	30	30	Silt, loam, sand	Summer	
12	<i>Chrysanthemum multicaule</i>	Yellow Daisy	Asia	Full sun	20	30	Silt, clay, loam, sand	Summer	

Ornamental Grasses

West Coast Native Grasses



	Name	Common names	Exposure	Height (cm)	Moisture
1	<i>Melica subulata</i>	Alaska onion-grass	Part shade to shade	80	Dry to mesic
2	<i>Festuca roemerii</i>	Roemer's Fescue	Full sun	80	Dry
3	<i>Danthonia spicata</i>	Poverty oatgrass	Full sun to partial shade	80	Dry to mesic
4	<i>Bromus carinatus</i>	California brome	Full sun to partial shade	100	Dry to mesic
5	<i>Elymus glaucus</i>	Blue wild rye	Full sun to partial shade	120	Dry to mesic
6	<i>Carex pachystachya</i>	Thick-headed Sedge	Full sun to partial shade	50	Mesic to wet
7	<i>Koeleria macrantha</i>	Junegrass	Full sun	60	Wet winter, dry summer
8	<i>Deschampsia cespitosa</i>	Tufted hairgrass	Full sun	150	Moist to wet
9	<i>Hordeum brachyantherum</i>	Meadow Barley	Full sun	100	Moist to wet
10	<i>Carex vulpinoidea</i>	Fox sedge	Full sun	150	Moist to wet

